©2001 Mineral Data Publishing, version 1.2

Crystal Data: Orthorhombic. Point Group: mm2. Most commonly as a pulverulent coating or stain. As radiating groups of crystals elongated \parallel [001], terminated by {001}; in thin, brittle incrustations with columnar structure.

Physical Properties: Cleavage: $\{010\}$ (?). Hardness = 4.5 VHN = 551 D(meas.) = 3.03 D(calc.) = 3.029 Faint green cathodoluminescence.

Optical Properties: Semitransparent. *Color:* Colorless, white to pale yellow; rarely greenish. *Streak:* White. *Luster:* Vitreous.

Optical Class: Biaxial (-). Orientation: X = b; Y = a; Z = c. $\alpha = 1.586(4)$ $\beta = 1.614(1)$ $\gamma = 1.621(1)$ $2V(\text{meas.}) = 53^{\circ}$ $2V(\text{calc.}) = 54^{\circ}30'$

Cell Data: Space Group: $Ccm2_1$. a = 13.282(3) b = 13.925(3) c = 9.724(4) Z = 4

X-ray Powder Pattern: Evans-Lou quarry, Canada. 6.93 (100), 3.321 (90), 4.38 (60), 4.22 (60), 3.481 (60), 4.87 (40), 2.323 (40)

Chemistry:

	(1)
SiO_2	28.84
$\mathrm{Al_2O_3}$	0.58
Y_2O_3	28.18
RE_2O_3	8.08
CaO	10.04
H_2O	8.6
$\overline{\mathrm{CO}}_2$	15.7
Total	100.02

(1) Evans-Lou quarry, Canada; by electron microprobe, $\rm H_2O$ by gravimetry, $\rm CO_2$ by titrimetry; $\rm RE_2O_3 = \rm La_2O_3$ 0.08%, $\rm CeO_2$ 0.24%, $\rm Pr_2O_3$ 0.09%, $\rm Nd_2O_3$ 0.30%, $\rm Sm_2O_3$ 0.20%, $\rm Eu_2O_3$ 0.09%, $\rm Gd_2O_3$ 0.51%, $\rm Tb_2O_3$ 0.16%, $\rm Dy_2O_3$ 1.16%, $\rm Ho_2O_3$ 0.66%, $\rm Er_2O_3$ 1.84%, $\rm Tm_2O_3$ 0.21%, $\rm Yb_2O_3$ 2.12%, $\rm Lu_2O_3$ 0.42%; corresponds to $\rm Ca_{2.95}RE_{0.70}Y_{4.11}(Si_{7.90}Al_{0.18})_{\Sigma=8.08}O_{20.36}$ (CO₃)_{5.87} •7.86H₂O.

Occurrence: In perthite surrounding the quartz core of a granite pegmatite, coating fractures and filling cavities in quartz, perthite, or hellandite; apparently of secondary origin.

Association: Quartz, hellandite, fergusonite, kainosite, tengerite, lokkaite, yttrian thorogummite, yttrian spessartine, xenotime, wakefieldite-(Y), synchysite-(Y).

Distribution: In the Evans-Lou quarry, near Wakefield Lake, Quebec, Canada.

Name: For the chemical composition: Ca, Y, Si, C, H.

Type Material: Canadian Museum of Nature, Ottawa; Canadian Geological Survey, Ottawa, Canada, 10402; The Natural History Museum, London, England, 1977,278.

References: (1) Hogarth, D.D., G.Y. Chao, A.G. Plant, and H.R. Steacy (1974) Caysichite, a new silico-carbonate of yttrium and calcium. Can. Mineral., 12, 293–298. (2) (1976) Amer. Mineral., 61, 174–175 (abs. ref. 1). (3) Mellini, M. and S. Merlino (1978) Caysichite: a double crank shaft chain structure. Can. Mineral., 16, 81–88.