

**Keiviite-(Y)****(Y, Yb)<sub>2</sub>Si<sub>2</sub>O<sub>7</sub>**

©2001 Mineral Data Publishing, version 1.2

**Crystal Data:** Monoclinic. *Point Group:* 2/m. As prismatic crystals, up to 1 mm.**Physical Properties:** *Fracture:* Uneven. Hardness = 4–5 D(meas.) = 4.45 D(calc.) = 4.48 Yellow-green cathodoluminescence.**Optical Properties:** Semitransparent. *Color:* Colorless to white. *Streak:* White. *Luster:* Vitreous.*Optical Class:* Biaxial (-). *Orientation:* Z = b; X ∧ c = 4°; Y ∧ a = 7°. *Dispersion:* r < v. α = 1.713(1) β = 1.748(1) γ = 1.758(1) 2V(meas.) = 56(2)° 2V(calc.) = 55°**Cell Data:** *Space Group:* [C2/m] [by analogy to keiviite-(Yb)]. a = 6.845(5) b = 8.960(5) c = 4.734(3) β = 101.65(5)° Z = 2**X-ray Powder Pattern:** Mt. Ploskaya, Russia; nearly identical to keiviite-(Yb). 3.23 (10), 4.65 (9), 3.04 (8), 2.280 (7), 5.40 (5), 2.729 (5), 2.692 (5)**Chemistry:**

	(1)	(2)
SiO <sub>2</sub>	30.85	30.49
Y <sub>2</sub> O <sub>3</sub>	40.86	45.86
Gd <sub>2</sub> O <sub>3</sub>	0.08	0.62
Tb <sub>2</sub> O <sub>3</sub>	0.10	0.00
Dy <sub>2</sub> O <sub>3</sub>	1.53	2.92
Ho <sub>2</sub> O <sub>3</sub>	0.85	1.27
Er <sub>2</sub> O <sub>3</sub>	6.50	4.40
Tm <sub>2</sub> O <sub>3</sub>	1.99	1.11
Yb <sub>2</sub> O <sub>3</sub>	15.36	11.81
Lu <sub>2</sub> O <sub>3</sub>	2.61	1.05
CaO	0.00	0.30
<b>Total</b>	<b>100.73</b>	<b>99.83</b>

(1–2) Mt. Ploskaya, Russia; by electron microprobe; when averaged with another intermediate analysis, corresponds to (Y<sub>1.55</sub>Yb<sub>0.20</sub>Er<sub>0.10</sub>Dy<sub>0.08</sub>Ca<sub>0.04</sub>Tm<sub>0.02</sub>Lu<sub>0.02</sub>Ho<sub>0.02</sub>Gd<sub>0.01</sub>)<sub>Σ=2.04</sub>Si<sub>1.98</sub>O<sub>7</sub>.**Polymorphism & Series:** Forms a series with keiviite-(Yb).**Occurrence:** In fissures in quartz and fluorite in “amazonite” pegmatites.**Association:** Keiviite-(Yb), thalenite, xenotime, bastnäsite, kuliokite-(Y), quartz, fluorite.**Distribution:** From Mt. Ploskaya, Keivy massif, Kola Peninsula, Russia.**Name:** For the relation to keiviite-(Yb) and the yttrium content.**Type Material:** Geology Museum, Kola Branch, Academy of Sciences, Apatity, 5958/6; Mining Institute, St. Petersburg, 1343-1/1; A.E. Fersman Mineralogical Museum, Academy of Sciences, Moscow, Russia,**References:** (1) Voloshin, A.V., Y.A. Pakhomovskii, and F.N. Tyusheva (1985) Keiviite-(Y) – a new yttrian diorthosilicate, and thalenite from amazonite pegmatites of the Kola Peninsula. Diortho- and triorthosilicates of yttrium. *Mineral. Zhurnal*, 7(6), 79–94 (in Russian with English abs.). (2) (1988) *Amer. Mineral.*, 73, 191–192 (abs. ref. 1).