© 2001-2005 Mineral Data Publishing, version 1

Crystal Data: Monoclinic. *Point Group:* 2/m. As needlelike crystals, elongated along [010], to 0.4 mm, in tufted aggregates. *Twinning:* On $\{101\}$.

Physical Properties: Tenacity: Brittle. Hardness = [6] VHN = 689–825 (50 g load). D(meas.) = 4.18(2) D(calc.) = 4.15

Optical Properties: Opaque, transparent in thin section. Color: Black; bluish gray to grayish white in reflected light. Streak: Dark brown. Luster: Submetallic. Optical Class: Biaxial. Pleochroism: Strong, X = dark brown; Y = dark green. $\alpha = 1.88$ $\beta = \text{n.d.}$ $\gamma = 1.95$ 2V(meas.) = n.d. Anisotropism: Strong.

Cell Data: Space Group: P2/m. a = 10.70(10) b = 3.06(3) c = 5.45(5) $\beta = 94.6(5)^{\circ}$ Z = 2

X-ray Powder Pattern: Qiliping, China. 2.665 (10), 2.563 (9), 2.467 (8), 2.018 (8), 5.32 (7), 2.129 (6), 1.9653 (6)

Chemistry:

	(1)
SiO_2	0.45
${ m TiO}_2$	0.05
SnO_2	12.90
B_2O_3	16.59
Al_2O_3	0.05
Fe_2O_3	20.97
FeO	20.86
MnO	0.90
MgO	25.75
CaO	0.18
${\rm H_2O}$	0.00
Total	98.70
0.1	

(1)

(1) Qiliping, China; corresponds to $(Mg_{1.25}Fe_{0.66}^{2+}Mn_{0.03}Ca_{0.01})_{\Sigma=1.95}(Fe_{0.60}^{3+}Sn_{0.19}Mg_{0.19}Al_{0.01}Ti_{0.01})_{\Sigma=1.00}B_{1.06}O_5$.

Occurrence: In a magnesium skarn borate deposit at the contact between granite and calcite–dolomite rocks.

Association: Szaibélyite, kotoite, fluoborite, stannian ludwigite, sakhaite, dolomite, calcite.

Distribution: From Daiy Mountain, Qiliping, Changning Co., Hunan Province, China.

Name: As the magnesium analog of hulsite.

Type Material: n.d.

References: (1) Yang Guangming, Peng Zhizhong, and Pan Zhaolu (1985) Magnesiohulsite – a new tin-rich borate mineral. Acta Mineral. Sinica, 5(2), 97–101 (in Chinese with English abs.). (2) (1988) Amer. Mineral., 73, 929 (abs. ref. 1). (3) Zhao Wenxia, Yang Guangming, and Pan Zhaolu (1991) Electron diffraction analysis of magnesiohulsite twin. Acta Petrologica et Mineralogica, 10(4), 339–344 (in Chinese with English abs.).