

Vitusite-(Ce)

Na₃(Ce, La, Nd)(PO₄)₂

©2001-2005 Mineral Data Publishing, version 1

Crystal Data: Orthorhombic, pseudohexagonal. *Point Group:* mm2. Crystals prismatic, to 5 mm, elongated along [001], showing {100}, {010}, {110}, {120}, {210}, {101}; granular, and in fine-grained aggregates. *Twinning:* Common, on {160}, forming cross triplets, and on {120}, forming combined cross doublets; composition planes may be {130}, {140}, and {1.11.0}.

Physical Properties: *Cleavage:* On {100}, {010}, {001}, good. Hardness = 4.5
D(meas.) = 3.60–3.70 D(calc.) = [3.63]

Optical Properties: Transparent. *Color:* White, pale pink, pale green, pale yellow, pinkish tan, gray, black; colorless in thin section. *Luster:* Vitreous, may be greasy.

Optical Class: Biaxial (−). *Orientation:* X = a; Y = b; Z = c. α = 1.602–1.604
β = 1.646–1.650 γ = 1.649–1.654 2V(meas.) = 28.5°–30°

Cell Data: *Space Group:* P_c2₁b. a = 5.3356(8) b = 18.6722(9) c = 14.0546(9) Z = 8

X-ray Powder Pattern: Ilímaussaq intrusion, Greenland.
2.811 (10), 2.801 (10), 6.580 (9), 4.665 (9), 4.634 (9), 3.512 (9), 2.690 (9)

Chemistry:	(1)	(2)	(1)	(2)
P ₂ O ₅	36.27	36.50	Pr ₂ O ₃	1.24
SiO ₂	0.25	0.15	Nd ₂ O ₃	4.39
La ₂ O ₃	15.56	12.20	CaO	0.92
Ce ₂ O ₃	19.95	16.50	Na ₂ O	23.15
			Total	98.06

(1) Ilímaussaq intrusion, Greenland; by electron microprobe, corresponds to (Na_{2.92}Ca_{0.06})_{Σ=2.98}(Ce_{0.47}La_{0.38}Nd_{0.10}Pr_{0.03})_{Σ=0.98}[(PO₄)_{2.00}(SiO₄)_{0.01}]_{Σ=2.01}. (2) Mt. Sengischorr, Kola Peninsula, Russia; by electron microprobe, corresponds to (Na_{2.83}Ca_{0.33})_{Σ=3.16}(Ce_{0.39}La_{0.29}Nd_{0.10}Pr_{0.03})_{Σ=0.81}[(PO₄)_{2.00}(SiO₄)_{0.01}]_{Σ=2.01}.

Occurrence: An alteration product of steenstrupine in differentiated alkalic massifs (Ilímaussaq massif; Kola Peninsula, Russia); in sodalite xenoliths associated with an intrusive alkalic gabbro-syenite complex (Mont Saint-Hilaire, Canada).

Association: Steenstrupine, aegirine, analcime, lovozerite, sphalerite, villiaumite, arfvedsonite, albite, microcline, nepheline, sodalite (Ilímaussaq intrusion, Greenland); steenstrupine, belovite-(Ce), neptunite, leucosphenite, sazhinite-(Ce) (Jubilee pegmatite, Kola Peninsula, Russia); vuonnemite, sodalite, eudialyte, steenstrupine, kogarkoite, sidorenkite, rasvumite (Mont Saint-Hilaire, Canada).

Distribution: From Kvanefjeld, Ilímaussaq intrusion, southern Greenland. In the Jubilee pegmatite, on Mt. Karnasurt, and on Mt. Sengischorr, Lovozero massif; on Mts. Rasvumchorr and Koashva, Khibiny massif, Kola Peninsula, Russia. At Mont Saint-Hilaire, Quebec, Canada.

Name: To honor Vitus Bering (1681–1741), Danish-Russian explorer of the Arctic seas, and the dominant rare earth, cerium.

Type Material: Geology Museum, Kola Branch, Academy of Sciences, Apatity, 5544; Mining Institute, St. Petersburg, Russia, 1209/1; University of Copenhagen, Copenhagen, Denmark; National School of Mines, Paris, France; The Natural History Museum, London, England, 1994, 36.

References: (1) Rønsbo, J.G., A.P. Khomyakov, E.I. Semenov, A.A. Voronkov, and V.K. Garanin (1979) Vitusite – a new phosphate of sodium and rare earths from the Lovozero alkaline massif, Kola, and the Ilímaussaq alkaline intrusion, South Greenland. Neues Jahrb. Mineral., Abh., 137, 42–53. (2) (1980) Amer. Mineral., 65, 812 (abs. ref. 1). (3) Horváth, L. and R.A. Gault (1990) The mineralogy of Mont Saint-Hilaire, Quebec. Mineral. Record, 21, 284–359, esp. 345–346. (4) Finch, A.A. and J.G. Fletcher (1992) Vitusite – an apatite derivative structure. Mineral. Mag., 56, 235–239. (5) Mazzi, F. and L. Ungaretti (1994) The crystal structure of vitusite from Ilímaussaq (South Greenland): Na₃REE(PO₄)₂. Neues Jahrb. Mineral., Monatsh., 49–66.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means, electronic, mechanical, photocopying, recording, or otherwise without the prior written permission of Mineral Data Publishing.